

S063055 / Trim installation variants


S063055 Trim / Mechanical clamp

PRODUCT DIMENSIONS






CEILING OPENING




Cut-out Ø55 mm


INSTALLATION SECTION




S063055 Trim / Spring clip

PRODUCT DIMENSIONS






CEILING OPENING



Cut-out Ø55 mm


INSTALLATION SECTION




S063075 / Trim installation variants


S063075 Trim / Mechanical clamp

PRODUCT DIMENSIONS






CEILING OPENING




Cut-out Ø75 mm


INSTALLATION SECTION




S063075 Trim / Spring clip

PRODUCT DIMENSIONS






CEILING OPENING



Cut-out Ø75 mm


INSTALLATION SECTION




Trimless recessed spotlights


TS063055 Trimless

PRODUCT DIMENSIONS






CEILING OPENING



Cut-out Ø55 mm


Recess Ø81 × 3 mm


INSTALLATION SECTION




TS063075 Trimless

PRODUCT DIMENSIONS






CEILING OPENING



Cut-out Ø75 mm

Recess Ø101 × 3 mm


INSTALLATION SECTION




Recessed spotlight


S063065 Trim

PRODUCT DIMENSIONS






CEILING OPENING



Cut-out Ø65 mm


INSTALLATION SECTION




Deep recessed spotlights


DS063055 Trim

PRODUCT DIMENSIONS






CEILING OPENING




Cut-out Ø55 mm


INSTALLATION SECTION




DS063075 Trim

PRODUCT DIMENSIONS






CEILING OPENING



Cut-out Ø75 mm


INSTALLATION SECTION




Surface-mounted spotlights


SMS063060 Surface mounted

PRODUCT DIMENSIONS







CEILING MOUNTING



SMS063075 Surface mounted

PRODUCT DIMENSIONS





CEILING MOUNTING

